

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S90	17	707/2.cds. and path\$1 and ((join\$1 near table\$1) or view\$1) with function\$1 and cost\$1 with (reduce\$3 or minimi\$4) and (@ad<"20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 19:08
S91	8	707/2.cds. and (join\$3 or result\$1) same (quer\$3 or table\$1) and (user-defin\$3 or complex near attribute\$1) and cost\$1 same (reduce\$3 or low\$4 or small\$3 or minimi\$5) same cardinalit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 19:08
S92	11	((join\$1 or execution\$1 or quer\$3) with plan\$1 and (join\$3 or result\$1) same (quer\$3 or table\$1) and (user-defin\$3 or complex near attribute\$1) and cost\$1 same (reduce\$3 or low\$4 or small\$3 or minimi\$5) same cardinalit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 19:23
S93	10	((join\$1 or execution\$1 or quer\$3) with plan\$1 and (join\$3) same ( table\$1) and (user-defin\$3 or complex near attribute\$1) and cost\$1 same (reduce\$3 or low\$4 or small\$3 or minimi\$5) same cardinalit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 19:26
S94	1	((join\$1 or execution\$1 or quer\$3) with plan\$1 and (user-defin\$3 or complex near attribute\$1) and cost\$1 same (reduce\$3 or low\$4 or small\$3 or minimi\$5) same cardinalit\$3 same (join\$3) same (table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 19:26
S95	2	("6763359").FN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 15:31
S96	4	path\$1 same (join\$3 or result\$1) same (table\$1) and (user-defin\$3 or complex near attribute\$1) and cost\$1 same (reduce\$3 or low\$4 or small\$3 or minimi\$5) same cardinalit\$3 and (@ad<"20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:12

S97	159	path\$1 same (join\$3 or result \$1) same (table\$1) and (user-defin\$3 or complex near attribute\$1) and cost\$1 and (@ad<"20011026")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:15
S98	20	S97 and (quer\$3 with predicat\$2)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:17
S99	20	S97 and (quer\$3 same predicat\$2)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:35
S100	23	S97 and predicat\$2	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:37
S101	129	plan\$4 same (join\$3 or result \$1) same (table\$1) and (user-defin\$3 or complex near attribute\$1) and cost\$1 and (@ad<"20011026")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:39
S102	65	plan\$4 with (join\$3 or result \$1) same (table\$1) and (user-defin\$3 or complex near attribute\$1) and cost\$1 and (@ad<"20011026")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:39
S103	52	(database\$1 with quer\$3) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and cost\$1 with (reduc\$3 or minimi\$4) and (user-define \$3 or complex) and (@ad<"20011026")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:09
S104	11	((database\$1 with quer\$3) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and cost\$1 with (reduc\$3 or minimi\$4) and (user-define \$3 or complex) and ((optimiz \$4 or execution\$1) near plan \$1) and (@ad<"20011026"))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:10
S105	0	((database\$1 with quer\$3) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and cost\$1 with (reduc\$3 or minimi\$4) and (user-define \$3) and ((optimiz\$4 or execution\$1) near plan\$1) and (@ad<"20011026"))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:16

S106	14	((database\$1 with quer\$3) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and cost\$1 with (reduc\$3 or minimi\$4) and ((optimiz\$4 or execution\$1) near plan\$1) and (@ad<"20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:17
S107	16	((database\$1 with quer\$3) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and cost\$1 with (reduc\$3 or minimi\$4) and ((optimiz\$4 or execution\$1) with plan\$1) and (@ad<"20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:19
S108	0	S107 and user-defin\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:20
S109	12	((function\$1 with table\$1) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and cost\$1 with (reduc\$3 or minimi\$4) and ((optimiz\$4 or execution\$1) with plan\$1) and (@ad<"20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:21
S110	0	((function\$1 with table\$1) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and cost\$1 with (reduc\$3 or minimi\$4) and cardinarlit\$3 and (@ad<"20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:27
S111	0	((predicate\$1 and projection \$1) and (path\$1 with ((join \$1 near table\$1) or view\$1)) and cost\$1 with (reduc\$3 or minimi\$4) and cardinarlit\$3 and (@ad<"20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:28
S112	0	((predicate\$1 and projection \$1) and (path\$1 with ((join \$1 near table\$1) or view\$1)) and cost\$1 and (reduc\$3 or minimi\$4 or lower) with cardinarlit\$3 and (@ad<"20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:28
S113	0	((predicate\$1 and projection \$1) and (path\$1 with ((join \$1 near table\$1) or view\$1)) and cost\$1 and (reduc\$3 or minimi\$4 or lower) with cardinalit\$3 and (@ad<"20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:29

S114	0	(predicate\$1 and projection \$1) and (path\$1 with ((join \$1 near table\$1) or view\$1)) and cost\$1 and (reduc\$3 or minimi\$4 or lower) same cardinalit\$3 and (@ad< "20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:29
S115	0	(predicate\$1 and projection \$1) and (path\$1 same ((join \$1 near table\$1) or view\$1)) and cost\$1 and (reduc\$3 or minimi\$4 or lower) same cardinalit\$3 and (@ad< "20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:30
S116	2	(predicate\$1 or projection\$1) and (path\$1 same ((join\$1 near table\$1) or view\$1)) and cost\$1 and (reduc\$3 or minimi\$4 or lower) same cardinalit\$3 and (@ad< "20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:30
S117	13	(predicate\$1 or projection\$1) and (path\$1 same ((join\$1 near table\$1) or view\$1)) and cost\$1 and (reduc\$3 or minimi\$4 or lower) and cardinalit\$3 and (@ad< "20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:32
S118	206	(predicate\$1 or projection\$1) and (path\$1 same ((join\$1 near table\$1) or view\$1)) and ((complex or non-complex) with (attribute\$1 or column\$1 or field\$1)) and (@ad< "20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:45
S119	65	(predicate\$1 or projection\$1) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and ((complex or non-complex) with (attribute\$1 or column\$1 or field\$1)) and optimiz\$6 and (@ad< "20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:46
S120	6	(predicate\$1 and projection \$1) and (path\$1 with ((join \$1 near table\$1) or view\$1)) and ((complex or non-complex) with (attribute\$1 or column\$1 or field\$1)) and optimiz\$6 and (@ad< "20011026")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:46

S121	6	{(predicate\$1 and projection \$1) and (path\$1 with ((join \$1 near table\$1) or view\$1)) and ((complex or user-defin \$3) with (attribute\$1 or column\$1 or field\$1)) and (@ad< "20011026")}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:48
S122	0	{(predicate\$1 and projection \$1) and (path\$1 with ((join \$1 near table\$1) or view\$1)) and ((user-defin\$3) with (attribute\$1 or column\$1 or field\$1)) and (@ad< "20011026")}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:48
S123	18317	{quer\$3 with table\$1 (path\$1 with ((join\$1 near table\$1) or view\$1)) and ((user-defin \$3) with (attribute\$1 or column\$1 or field\$1)) and (@ad< "20011026")}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
S124	8	{(quer\$3 with table\$1) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and ((user-defin\$3) with (attribute\$1 or column\$1 or field\$1)) and (@ad< "20011026")}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
S125	0	{(quer\$3 with table\$1) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and ((user-defin\$3) with (attribute\$1 or column\$1 or field\$1)) with ((execution\$1 or join\$1 or quer\$3) near (path\$1 or plan\$1)) and (@ad< "20011026")}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:53
S126	0	{(quer\$3 with table\$1) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and ((user-defin\$3) with (attribute\$1 or column\$1 or field\$1)) with ((execution\$1 or join\$1 or quer\$3) with (path\$1 or plan\$1)) and (@ad< "20011026")}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:53
S127	0	{(quer\$3 with table\$1) and (path\$1 with ((join\$1 near table\$1) or view\$1)) and ((user-defin\$3) same (attribute\$1 or column\$1 or field\$1)) same ((execution\$1 or join\$1 or quer\$3) with (path\$1 or plan\$1)) and (@ad< "20011026")}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:53

S128	9	((quer\$3 with (table\$1 or database\$1 or data near base \$1)) and ((user-defin\$3) same (attribute\$1 or column \$1 or field\$1)) same ((execution\$1 or join\$1 or quer\$3) with (path\$1 or plan \$1)) and (@ad<"20011026"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:54
------	---	--	---	----	----	---------------------

3/ 1/ 08 4:31:57 PM

C:\Documents and Settings\LWong2\My Documents\EAST\Workspaces\10056880.wsp